

# BEFARD XS



## VACUUM LIFTER FOR SHEET HANDLING OF BEFARD XS

# VACUUM CLAMP BEFARD XS

Vacuum grippers by BEFARD are designed to work in various conditions. Individual versions of BEFARD vacuum grippers are devices adapted to the diverse needs of their users.


## SPECIFICATION

- Integrated vacuum measuring devices
- Manual adjustment of the spacing of the suction cups
- Easy, individual configuration of the suction cups, without the use of specialized ones tools.

## TECHNICAL DATA

Vacuum system	Single-circuit
Number of suction cups	4, 6, 8, 10, 12 lub 14
Suction cups	φ 310mm
Min / max vacuum	-0,6/-0,8 bar
Power	Mains powered
Lifting capacity	4 Suction cups- 360 kg 6 Suction cups- 540 kg 8 Suction cups- 720 kg 10 Suction cups- 900 kg 12 Suction cups- 1080 kg 14 Suction cups- 1260 kg
Maximum distance between the suction cups (Draw 1)	A = 2000 mm B = 1150 mm
Minimum dimensions of a sheet metal (Draw 1)	A = 950 mm B = 800 mm

# VACUUM CLAMP BEFARD XS



Draw 1.



Configurable quantity  
suction cups



Mains powered



No need  
specialized use  
tools

